



Training Manual

Com Web




What is Com Web?

- It is a bridge between MyReport Center and Client Web Application.




Com Web Architecture?




Installation in Visual Studio:

- 1.Start new project in Visual Studio.
- 2.Click on web - press ok to start new web project.
- 3.Add web reference

<http://center> host name/COM_WEB/ComWeb.asmx




- 4.To access the report from MyReport Center we need to create Center GUID for it.
- 5.Open MyReport Center
Username: webadmin
Password: password




6. In the parameter section there is one button called Generate a new GUID.

Click on that to generate a Center GUID. This is used to access MyReport Center from another web application.



7. To access the report, we need to create User GUID. To create a User GUID write the following code:

```
protected void btnGuid_Click(object sender, EventArgs e)
{
    quickreport.ComWeb guid = new quickreport.ComWeb();
    guid.CreateGUIDLoginAsync("3c1bcba-f-192a-4fc5-9900-7cde5f0f33ed", "manoj");
}
```




8. To access report from Center from our application write the following code

```
protected void btnGenerateReport_Click(object sender, EventArgs e)
{
    project = txtBoxPrjt.Text.ToString();
    report = txtBoxReport.Text.ToString();
    area = String.Concat("AREA=", txtBoxAreawise.Text.ToString());
    attr = area;
    quickreport.ComWeb com = new quickreport.ComWeb();
    dispReport = com.GetReporting(guid, project, report, attr);
    viewReportLabel.Text = dispReport;
}
```


9. To Add filter to our report we need to first create attributes in MyReport Data.

In the Tools menu->Project Options->Attribute

Add the required filter name like in the below image.



After that add that filter in the MyReport Page.



Full Code

```
using MyReport;

namespace Com Web
{
    public partial class _Default : System.Web.UI.Page
    {
        String guid = "c2e23195-326a-4e3d-8af7-0e3be9405c02";
        String report = null;
        String project = null;
        String attr=null;
        String dispReport = null;
        String area = null;

        protected void btnGenerateReport_Click(object sender, EventArgs e)
        {
            project = txtBoxPrjt.Text.ToString();
            report = txtBoxReport.Text.ToString();
            area = String.Concat("AREA=", txtBoxAreawise.Text.ToString());
            attr = area;
            quickreport.ComWeb com = new quickreport.ComWeb();
            dispReport = com.GetReporting(guid, project, report, attr);
            viewReportLabel.Text = dispReport;
        }

        protected void btnGuid_Click(object sender, EventArgs e)
        {
            quickreport.ComWeb guid = new quickreport.ComWeb();
            guid.CreateGUIDLoginAsync("3c1bcfaf-192a-4fc5-9900-7cde5f0f33ed", "manoj");
        }
    }
}
```

Questions:

1. How to create GUID in MyReport Com Web?
2. List down the functions of MyReport Com Web.
3. When to use MyReport Com Web?